Product data sheet



ACA-TW17-100

LHD Cable Accessory - Tie Wrap (ETFE) 170°C (230°F) - Qty100

General

The ACA-TW series tie wraps (cable ties) is designed to secure linear heat sensor cable to the LHD brackets and clips. The tie wraps are available in various temperature ratings for matching or surpassing the temperature specifications of the selected LHD sensor cable.

UV stabilised and stainless steel variants are suitable for outdoor applications whilst stainless steel variants additionally allow for the installation of very high temperature digital cable.

A tool (ACA-TWT) is available for the stainless steel tie wrap installation.



Details

- Easy installation of linear heat cable
- For use with LHD brackets and clips
- · Indoor applications
- Available in ETFE (Ethylene tetrafluoroethylene)
- Available in quantities of 100

ACA-TW17-100

LHD Cable Accessory - Tie Wrap (ETFE) 170°C (230°F) - Qty100

Technical specifications

15 g
0.002 lbs
PA66
Indoor, Outdoor
5
110°C (230°F) In/Outdoor
15g (0.002lbs)
PA66
25
0
110°C (230°F) In/Outdoor
55g (0.12lbs)
PA66
100
170°C (338°F) Indoor
15g (0.002lbs)
ETFE
25
170°C (338°F) Indoor
55g (0.12lbs)
ETFE
100
In/Outdoor
60g (0.13lbs)
Stainless Steel
25
In/Outdoor
210g (0.46lbs)
Stainless Steel
100

As a company of innovation, Carrier Fire & Security reserves the right to change product specifications without notice. For the latest product specifications, visit firesecurityproducts.com online or contact your sales representative.

